

Stainless Steel Product Catalogue 2012

SA Hardware Traders Stainless Steel Products

SA Hardware Traders supply a range of stainless steel architectural hardware to the ironmongery industry in South Africa, including hinges, lever handles, pull handles and accessories. Having an extensive knowledge of the architectural ironmongery industry in South and Southern Africa, we are committed to supplying the very best stainless steel door fittings and furniture whilst focussing on customer service, high quality and competitive pricing.

Consort Hardware

SA Hardware Traders are the exclusive agents for Consort Hardware LTD. Based in the United Kingdom and Middle East, Consort Hardware LTD have supplied many prestigious projects around the world.

Frequently used in commercial, healthcare, modern residential and many other applications around the globe, Consort Hardware is a credible, highly respected and certified brand. SA Hardware Traders now provides the primary distribution centre for all Consort Hardware products in Southern and Central Africa and have the ability to supply bespoke solutions for customers specific needs when required.

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Lever Handles / Hollow

model no / CH 100



Available on: Sprung or 4mm Unsprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium


PB: Polished Brass

■ Series with CH100, CH199

Section: Pull Handle

Model name: CPHS / CPHH

Description: Standard 'D' Handle




model no / CH 199



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium




model no / CH 299



Available on: Sprung or 4mm Unsprung Rose

■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel



CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 3 59 8189 Fax / +44(0)121 3 59 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Lever Handles / Hollow

model no / CH 399



■ Available on: Sprung or 4mm Unsprung Rose


• Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel

Series with CH399

Section: Pull Handle

Model name: CHEP10-15

Description: Crescent Pull Handle



model no / CH 499



■ Available on: Sprung or 4mm Unsprung Rose


■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel

Series with CH 499

Section: Pull Handle

Model name: CHEP 41-45

Description: Mitred Pull Handle



model no / CH 599



■ Available on: Sprung or 4mm Unsprung Rose


■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel

Series with CH 599

Section: Pull Handle

Model name: CHEP 10-15

Description: Crescent Pull Handle



CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Lever Handles / Hollow

model no / CH 599R



Available on: Sprung or 4mm Unsprung Rose

■ Finishes: SSS: Satin Stainless Steel


PSS: Polished Stainless Steel

■ Series with CH 599R

Section: Pull Handle

Model name: CHEP 10-15

Description: Crescent Pull Handle



model no / CH 699



Available on: Sprung or 4mm Unsprung Rose


■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel

Series with CH 699

Section: Pull Handle

Model name: CHEP 20-25

Description: 'S' Shaped Pull Handle



model no / CH 799



Available on: Sprung or 4mm Unsprung Rose

Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel


Series with CH799

Section: Pull Handle

Model name: CHEP 10-15

Description: Crescent Pull Handle





CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com



section / Lever Handles / Hollow

model no / CH 899



Available on: Sprung or 4mm Unsprung Rose

• Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel

Series with CH899

Section: Pull Handle Model name: CHEP 30-39 Description: T bar Pull Handle


model no / CH 999



Available on: Sprung Rose

• Finishes: Duo - SSS: Satin Stainless Steel PSS: Polished Stainless Steel

∞ 90 9 135 9



section / Lever Handles / Solid

model no / CH 900



Available on: Sprung Rose

• Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel


model no / CH 901




Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel





CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com

consorts

section / Lever Handles / Solid

model no / CH 902



Available on: Sprung Rose

• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 906



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 908



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel


model no / CH 909





Available on: Sprung Rose


■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel









CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com

consorts

model no / CH 910



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 911



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 912



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 913




Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

2



15

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Lever Handles / Solid

model no / CH 914



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 917



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 918



■ Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 919





Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel


PSS: Polished Stainless Steel


φ] 52 ω] 78 128





R11





CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com

consorts

model no / CH 920



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 921



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 922



Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel


model no / CH 923




Available on: Sprung Rose

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel





128


CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com



section / Levers / Escutcheons

model no / CH 165

Lever Handle on 160x160x3mm Traditional Keyhole Back Plate



Available on: Sprung back plate

■ Diameter: 22mm Diameter Lever Handle


Measurment: 57mm centre to centre

Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 170

Lever Handle on 170x170x2mm Euro Profile Back Plate



Available on: Sprung back plate

■ Diameter: 22mm Diameter Lever Handle


Measurment: 72mm centre to centre

Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 180

Lever Handle on 170x170x2mm Bathroom Back Plate



Available on: Sprung back plate

■ Diameter: 22mm Diameter Lever Handle

Measurment: 78mm centre to centre


Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 185

Lever Handle on 160x160x3mm Bathroom Back Plate





Available on: Sprung back plate

■ Diameter: 22mm Diameter Lever Handle

Measurment: 78mm centre to centre

Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel


CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Levers / Escutcheons


model no / CH 310

Keyhole Escutcheon




Euro Escutcheon









Available in: 4mm & 8mm

• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium

PB: Polished Brass

Available in: 4mm & 8mm

• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium

PB: Polished Brass


model no / CH 312

Oval Escutcheon

model no / CH 313


Blank Escutcheon





 ∞





 ∞

Available in: 4mm & 8mm

• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium

PB: Polished Brass

Available in: 4mm & 8mm

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com




section / Levers / Thumb Turns & Indicators

model no / CHTD 1

Disabled Thumb Turn and Emergency Release






■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel

model no / CHTD 2

Disabled Thumb Turn and Emergency Release






■ Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel

model no / CHTT 3

Standard Thumb Turn and Emergency Release






■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium

PB: Polished Brass

model no / CHER

Emergency Release & Indicator





■ Finishes: SSS: Satin Stainless Steel

■ Available: wihout Indicator if require

PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

PB: Polished Brass


model no / CH 421 Face


Face Fix Indicator Bolt











■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel


CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com



section / Pull Handles

model no / CPHH /CPHS

Standard 'D' Handle



D

Available with: - Bolt Through Fixed - On Concealed Rose

> - Secret Face Fix - Back to Back Fixed

■ Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium

PB: Polished Brass

Series with CPHH / CPHS

Section: Levers

Model name: CH 100, CH199, CH 299


Description: Lever Handle





CH 100 / CH199





D

CPHH: Hollow

CPHH 13: H 300 x D 22

D

CPRR: HOHOW			
■ CPHH 1:	H 150 x D 16	■ CPHH 14:	H 425 x D 22
■ CPHH 2:	H 225 x D 16	■ CPHH 15:	H 600 x D 22
■ CPHH 3:	H 300 x D 16	■ CPHH 16:	H 225 x D 25
■ CPHH 4:	H 425 x D 16	■ CPHH 17:	H 300 x D 25
■ CPHH 5:	H 600 x D 16	■ CPHH 18:	H 425 x D 25
■ CPHH 6:	H 150 x D 19	■ CPHH 19:	H 600 x D 25
■ CPHH 7:	H 225 x D 19	■ CPHH 20:	H 900 x D 25
■ CPHH 8:	H 300 x D 19	■ CPHH 21:	H 1200 x D 25
■ CPHH 9:	H 425 x D 19	■ CPHH 22:	H 600 x D 30
■ CPHH 10:	H 600 x D 19	■ CPHH 23:	H 900 x D 30
■ CPHH 11:	H 900 x D 19	■ CPHH 24:	H 1200 x D 30

CPHH 12: H 225 x D 22 **CPHH 25:** H 1500 x D 30

CPHS: Solid

CPHS 11: H 600 x D 19

CPHS 12: H 150 x D 22

CPHS 13: H 225 x D 22

	CPHS 1:	H 110 x D 16	■ CPHS 14: H 300 x D 22
	CPHS 2:	H 150 x D 16	■ CPHS 15: H 225 x D 25
	CPHS 3:	H 225 x D 16	■ CPHS 16: H 300 x D 25
	CPHS 4:	H 300 x D 16	
	CPHS 5:	H 425 x D 16	
	CPHS 6:	H 600 x D 16	
-	CPHS 7:	H 150 x D 19	
	CPHS 8:	H 225 x D 19	
	CPHS 9:	H 300 x D 19	
	CPHS 10	: H 425 x D 19	

CONSORT Architectural Hardware
29 / 31 Lower Loveday Street
Birmingham B 19 3 SE U .K
Tel / +44-(0)121 359 8189
Fax / +44(0)121 359 5172
Email / info@consort-hw.com
w w w . c o n s o r t - h w . c o m



section / Pull Handles

model no / **CHEP 10-15**

Crescent Pull Handle



■ Available with: - Bolt Through Fixed

- On Concealed Rose

- Secret Face Fix

- Back to Back Fixed

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel


■ Series with CHEP 10-15

Section: Levers

Model name: CH 399, CH599, CH799

Description: Lever Handle





CHEP 10: H 225 x D 19

CHEP 11: H 300 x D 19

CHEP 15: H 600 x D 25

model no / CHEP 20-25

'S' Shaped Pull Handle



- Available with: Bolt Through Fixed
 - On Concealed Rose
 - Secret Face Fix
 - Back to Back Fixed
- Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel


■ Series with CHEP 20-25

Section: Levers

Model name: CH 699

Description: Lever Handle





■ **CHEP 20**: H 225 x D 19

CHEP 21: H 300 x D 19

CHEP 25: H 600 x D 25

CONSORT Architectural Hardware
29 / 31 Lower Loveday Street
Birmingham B 19 3 SE U .K
Tel / +44-(0)121 359 8189
Fax / + 44(0)121 359 5172
Email / info@consort-hw.com
w w w . c o n s o r t - h w . c o m



section / Pull Handles

model no / CHEP 30-39

'T' Bar Pull Handle



Available with: - Bolt Through Fixed


- On Concealed Rose

- Secret Face Fix

- Back to Back Fixed

■ Finishes: SSS: Satin Stainless Steel


PSS: Polished Stainless Steel



Section: Levers

Model name: CH 899

Description: Lever Handle



D

....

78

CHEP 30: H 225 x D 19

CHEP 31: H 300 x D 19

CHEP 32: H 425 x D 19

CHEP 33: H 600 x D 19

■ CHEP 34: H 900 x D 19

CHEP 35: H 300 x D 25

CHEP 36: H 425 x D 25

CHEP 37: H 600 x D 25

CHEP 38: H 750 x D 25

CHEP 39: H 900 x D 25

CHEP 39.01: H 1200 x D 25

D

CHEP 39.02: H 600 x D 32

CHEP 39.03: H 750 x D 32

CHEP 39.04: H 900 x D 32

CHEP 39.05: H 1200 x D 32

CHEP 39.06: H 1500 x D 32

CHEP 39.07: H 900 x D 38

CHEP 39.08: H 1200 x D 38

CHEP 39.09: H 1500 x D 38

CHEP 39.10: H 1800 x D 38

model no / CHEP 41-45

Mitred Pull Handle



■ Available with: - Bolt Through Fixed

- On Concealed Rose

- Secret Face Fix

- Back to Back Fixed

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel


Series with CHEP 41-45

Section: Levers

Model name: CH 499

Description: Lever Handle





CHEP 41: H 300 x D 19
 CHEP 45: H 600 x D 25

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Pull Handles

model no / CHEP 50-55

Cranked Pull Handle



■ Available with: - Bolt Through Fixed

- On Concealed Rose

- Secret Face Fix

- Back to Back Fixed

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

CHEP 50: H 225 x D 19


CHEP 51: H 300 x D 19

CHEP 52: H 425 x D 19

CHEP 53: H 600 x D 19

CHEP 54: H 300 x D 25

CHEP 55: H 600 x D 25




CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / + 44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Accessories / Door Stops

model no / DS 72






■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium
PCP: Polished Chrome Plate
PB: Polished Brass

model no / DS 73






■ Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel

model no / DS 74






■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium
PB: Polished Brass

model no / DS 75






■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium
SCP: Satin Chrome Plate
PCP: Polished Chrome Plate
SNP: Satin Nickel Plate
PB: Polished Brass

model no / DS 77






■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium
SCP: Satin Chrome Plate
PCP: Polished Chrome Plate
PB: Polished Brass

model no / DS 77H





■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium
SCP: Satin Chrome Plate
PCP: Polished Chrome Plate
PB: Polished Brass

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Accessories / Door Stops

model no / DS 78

Skirting Door Stop



<u>50</u> <u>11</u> <u>50</u> <u>50</u>

■ Finishes: SSS: Satin Stainless Steel


PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

PB: Polished Brass

model no / DS 78P

Projection Door Stop With Clothes Peg






■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / DS 79

Skirting Door Stop





■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Accessories / Flush Pulls


model no / CFP 1

Rectangular Flush Pull


model no / CFP 2

Round Flush Pull









■ Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel

Finishes: SSS: Satin Stainless Steel
 PSS: Polished Stainless Steel


model no / CFP 3

Round Flush Pull


model no / CFP 4

Oval Flush Pull









■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel

Finishes: SSS: Satin Stainless Steel
 PSS: Polished Stainless Steel

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com



section / Accessories / Cylinder Pulls

model no / CH 315

Keyhole Cylinder Pull




• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium

PB: Polished Brass



model no / CH 316

Euro Cylinder Pull




• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium

PB: Polished Brass



model no / CH 317

Oval Cylinder Pull




• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium

PB: Polished Brass



model no / CH 318

Rim Cylinder Pull




■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium

PB: Polished Brass



model no / CH 319

Blank Cylinder Pull




■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium

PB: Polished Brass




CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com

consorts

section / Accessories / Hat & Coat Hooks

model no / CH 440

Hat & Coat Hook




• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

PB: Polished Brass

model no / CH 440B

Buffered Hat & Coat Hook



■ Finishes: SSS: Satin Stainless Steel


PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

PB: Polished Brass

model no / CH 441

Coat Hook

30



19

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel


PAA: Polished Anodised Aluminium

PB: Polished Brass

model no / CH 441B

Buffered Coat Hook

63



■ Finishes: SSS: Satin Stainless Steel


PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

PB: Polished Brass

model no / CH 442

Strip Pattern Hat & Coat Hook






■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium

model no / CH 443





■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel


CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / + 44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Accessories / Door Stops

model no / DS 72






■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium
PCP: Polished Chrome Plate
PB: Polished Brass

model no / DS 73






■ Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel

model no / DS 74






■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium
PB: Polished Brass

model no / DS 75






■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium
SCP: Satin Chrome Plate
PCP: Polished Chrome Plate
SNP: Satin Nickel Plate
PB: Polished Brass

model no / DS 77






■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium
SCP: Satin Chrome Plate
PCP: Polished Chrome Plate
PB: Polished Brass

model no / DS 77H





■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel
PAA: Polished Anodised Aluminium
SCP: Satin Chrome Plate
PCP: Polished Chrome Plate
PB: Polished Brass

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Accessories / Door Stops

model no / DS 78

Skirting Door Stop



<u>50</u> <u>11</u> <u>50</u> <u>50</u>

■ Finishes: SSS: Satin Stainless Steel


PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

PB: Polished Brass

model no / DS 78P

Projection Door Stop With Clothes Peg






■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / DS 79

Skirting Door Stop





■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .c o n s o r t - h w .c o m



section / Accessories / Misc

model no / CH 480


Handrail Bracket



■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

PB: Polished Brass




model no / CDC 22

Concealed Fix Security Door Chain



■ Finishes: PCP: Polished Chrome Plate

PB: Polished Brass




model no / CDC 24

Surface Mounted Door Chain



■ Finishes: PCP: Polished Chrome Plate

SNP: Satin Nickel Plate SCP: Satin Chrome Plate PB: Polished Brass



68 R5 R5 R5 R5 R5 R5 R3

85


model no / CDG 25

Door Guard



■ Finishes: PCP: Polished Chrome Plate

SCP: Satin Chrome Plate
PB: Polished Brass



model no / CDV 32


Door Viewer



■ Maximum Door Thickness: 60 mm

■ Finishes: PCP: Polished Chrome Plate

SCP: Satin Chrome Plate
PB: Polished Brass



model no / CDV 35

Door Viewer with Viewer Cover




■ Viewing angle: 200 degrees

■ Maximum Door Thickness: 55 mm

■ Finishes: SNP: Satin Nickel Plate

PB: Polished Brass CP: Chrome Plate



CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com



section / Plates & Signage

model no / CPP 1-4

Finger Plate



- All plates are drilled and countersunk as standard with radius corners.
- Engraved to order.

■ Finishes: SSS: Satin Stainless Steel


PSS: Polished Stainless Steel

CPP 1: H 300 x W 75

CPP 2: H 300 x W 100

CPP 3: H 350 x W 100

CPP 4: H 400 x W 100



model no / CH 350

Male



76

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium

model no / CH 351

Female



76

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium

model no /

Disabled

Unisex





76

• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium





76

• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PAA: Polished Anodised Aluminium

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 193 ŠEU .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com



section / Plates & Signage

model no / CH 354







76

■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

model no / CH 355

No Smoking





76

• Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel

model no / CH 356

CHANGE

Baby Change

model no / CH 357

Fire Door Keep Shut



76

■ Finishes: SSS: Satin Stainless Steel

• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel





76

• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

model no / CH 358

Fire Door Keep Locked






76

model no / CH 359

Automatic Fire Door Keep Clear





• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PAA: Polished Anodised Aluminium

Pull

model no / CH 360

Push

PAA: Polished Anodised Aluminium

PSS: Polished Stainless Steel

model no / CH 361



76

76

• Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel

• Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com



section / Hinges

model no / CBH


Ball Bearing Hinge



- Hinge Grade: Grade 13
- Features: Load bearing capacity upto 120Kg and durability tested to over 200 000 cycles
- Finishes: SSS: Satin Stainless Steel PSS: Polished Stainless Steel
- *Independent Testing: Tested to EN1935
- *Fire Rating: Tested to EN1634-1

■ CBH.100:H 76xW 52xT2

- ■*CBH.102: H 102 x W 76 x T 3
- CBH.103: H 102 x W 89 x T 3
- ■*CBH.104 : H 102 x W 102 x T 3
- CBH.105 : H 114 x W 102 x T 3.4
- CBH.106: H 114 x W 114 x T 3.5



model no / CRCH


Radius Cornered Ball Bearing Hinge



■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

CRCH.1: 102 x 76 x 3CRCH.2: 100 x 100 x 3



model no / CPH

Parliament Hinge




■ Finishes: PCP: Polished Chrome Plate

PB: Polished Brass SCP: Satin Chrome Plate

CPH.30: 100 x W1: 75 x W2: 100CPH.31: 100 x W1: 75 x W2: 125

■ CPH.32: 100 x W1: 100 x W2: 150



model no / CRH

Rising and Falling Hinge




■ Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

CRH.19: Left Hand Rising Butt Hinge, 102 x 76 x 3
 CRH.20: Right Hand Rising Butt Hinge, 102 x 76 x 3

■ CFH.21 : Left Hand Falling Butt Hinge, 102 x 76 x 3

■ CFH.22 : Right Hand Falling Butt Hinge, 102 x 76 x 3



CONSORT Architectural Hardware
29 / 31 Lower Loveday Street
Birmingham B 19 3 SE U .K
Tel / +44-(0)121 359 8189
Fax / + 44(0)121 359 5172
Email / info@consort-hw.com
w w w . c o n s o r t - h w . c o m



section / Hinges

model no / CSCH 25

Swing Clear Ball Bearing Hinge




• Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PCP: Polished Chrome Plate

PB: Polished Brass

■ CSCH.25: 102 x 3



model no / CCH

Concealed Hinge



■ Finishes: Zinc diecast

SNP: Satin Nickel Plate PB: Polished Brass

■ **Note:** Not suitable for tire doors

54

model no / CSA

Single Action Spring Hinge




■ Features: Suitable for doors up to 4" wide x 8" high by max 80kgs

Fire Rating: UL listed & EN1634-1 tested

Finishes: US26D (SCP: Satin Chrome Plate): standard

US32S(SSS: Satin Stainless Steel): to order



■ CSA103: 4.5" x 4" (114x101mm)

CCH212: 95mm (for doors 28-34mm)CCH216: 117mm (for doors 35-38mm)

model no / CDA

Double Action Spring Hinge




■ Fire Rating: Not suitable for use on fire doors

• Finishe: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel

PB: Polished Brass

CDA101: 4" for doors max 22kg
 CDA102: 5" for doors max 27kg
 CDA103: 6" for doors max 40kg



CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .c o n s o r t - h w .c o m



section / Locks, Latches and Cylinders

model no / CH 7250F

DIN Standard Euro Profile Sashlock



24

0


0


- Dimensions: 72mm centre to centre,
 55mm Backset, 8mm Follower, 24mm wide forend
- Finishes: SSS: Satin Stainless Steel

model no / CH 7251F

DIN Standard Latch









- Dimensions: 55mm Backset, 8mm Follower, 24mm wide forend
- Finishes: SSS: Satin Stainless Steel

model no / CH 7252F

DIN Standard Deadlock







- Dimensions: 55mm Backset, 24mm wide forend
- Finishes: SSS: Satin Stainless Steel

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .c o n s o r t - h w .c o m



86

0 0 0

section / Locks, Latches and Cylinders

model no / CH 7253F

DIN Standard Bathroom Lock



0

24


 Dimensions: 78mm centre to centre, 55mm Backset, 8mm Follower, 24mm wide forend

• Finishes: SSS: Satin Stainless Steel

model no / **CH 7254F**

DIN Standard Night Latch





64

■ Dimensions: 55 Backset, 24mm wide forend

■ Finishes: SSS: Satin Stainless Steel


model no / CH 825

Heavy Duty Roller Catch



■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel

PB: Polished Brass



model no / CHDB 1


Bathroom Deadbolt



■ Available with: Follower: 5mm or 8mm

■ Finishes: SSS: Satin Stainless Steel
PSS: Polished Stainless Steel

PB: Polished Brass



CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com



section / Locks, Latches and Cylinders

model no / CH 780

Double Cylinder



■ Finish: SNP

■ Features: Available Master Keyed and Standard Differ.

■ Independent Testing: Tested To EN1303

CH 780.1: L: 60CH 780.2: L: 70CH 780.3: L: 80

L



model no / CH 781

Single Cylinder




■ Finish: SNP


■ Features: Available Master Keyed and Standard Differ.

■ Independent Testing: Tested To EN1303

CH 781.1: L: 40CH 781.2: L: 45

CH 781TO: Available with turn only





model no / CH 782


Bathroom Cylinder



■ Finish: SNP

■ Independent Testing: Tested To EN1303

CH 782.1: L: 60CH 782.2: L: 70CH 782.3: L: 80



model no / CH 783

Cylinder & Turn




■ Finish: SNP

Features: Available Master Keyed and Standard Differ.

■ Independent Testing: Tested To EN1303

CH 783.1: L: 60CH 783.2: L: 70CH 783.3: L: 80



CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com





section / Door Controls / Overhead Door Closers

model no / CDC650



- Power Size: 3 (suitable for use on doors up to 60Kg or 950mm Door Width)
- Finish: Silver
- Features: Adjustable closing and latching speed.
- Fire Rating: UL Fire Rated
- Independent Certification: U.L. Listed.
- Covers available in: P.B., SNP, PCP, Silver







model no / CDC670



- Power Size: 2-4 (suitable for use on doors 40-80 Kg or 850mm-1100mm Door Width)
- Finish: Silver
- **Features:** Adjustable power (by template), closing and latching speed.
- Fire Rating: UL Fire Rated and tested to EN1634-1
- Independent Certification: U.L. Listed & EN Fire Tested.
- Covers Available: SSS To order
- Optional Extras: Hold open arm, Adjustable Backcheck.





CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com




section / Door Controls / Overhead Door Closers

model no / CDC700




- Power Size: 2-4 (suitable for use on doors 40-80 Kg or 850mm-1100mm Door Width)
- Finish: Silver
- Features: Adjustable power, closing and latching speed.
- Fire Rating: EN1634-1. To FD60.
- Independent Certification: Tested to EN1154
- Covers Available: SSS, PSS (Arms also available in SNP& PCP)
- Optional Extras: Hold open arm, Adjustable Backcheck, Delayed Action.






model no / CDC750





- Power Size: 2-5 (suitable for use on doors 40-110 Kg or 850mm-1250mm Door Width)
 Finish: Silver
- Features: Adjustable power, closing and latching speed.
- Fire Rating: EN1634-1. To FD60.
- Independent Certification: Tested to EN1154
- Covers Available: SSS, PSS (Arms also available in SNP & PCP)
- Optional Extras: Hold open arm, Adjustable Backcheck, Delayed Action, Slide Arm



CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / i nfo@consort-hw.com w w w .consort-hw.com




section / Door Controls / Overhead Door Closers

model no / CDC903



- Power Size: 2-6 (suitable for use on doors 60-150 Kg or 950mm-1400mm Door Width)
- Finish: Silver
- Features: Adjustable power, backcheck, closing and latching speed.
- Fire Rating: UL Fire Rated
- Independent Certification: Tested to EN1154
- Covers Available: SNP, PCP (Arms also available in SNP & PCP)
- Optional Extras: Hold open arm, Delayed Action.




section / Door Controls / Concealed Door Closers

model no / CDC 690

Concealed Jamb Closer

with Cover






Available: Radius CornerFire Rating: Tested to EN1634

model no / CDC 691



- Power Size: 2-4 (suitable for use on doors 40-80 Kg or 850mm-940mm Door Width)
- Finish: P.B., SCP
- Features: Adjustable closing & latching Speed
- Fire Rating: Tested to EN1634-1



25

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com





section / Door Controls / Concealed Door Closers


model no / CDCC1



- Power Size: 1-3 To EN 1154 (suitable for use on doors up to 60Kg or 950mm Door Width)
- Finish: Silver
- Features: Adjustable closing & latching speed, Hold open.
- Fire Rating: Tested To EN1634-1
- Minimum Door Thickness: 44mm










model no / CDCC2



- Power Size: 2-4 To EN 1154 (suitable for use on doors 40-80Kg or 850mm-1100mm Door Width)
- Finish: Silver
- **Features:** Adjustable power and closing & latching speed, Hold open.
- Fire Rating: Tested To EN1634-1. FD60
- Optional Extras: Adjustable Backcheck
- Minimum Door Thickness: 50mm










section / Door Controls / Floor Springs

model no / CFS543

*All models available single action and double action




- Power Size: 3 (Suitable for use on doors 105Kg or 950mm Door Width)
- Finish: SSS
- Features: Adjustable closing & latching speed
- Fire Rating: U.L. Fire Rated, EN Tested
- Independent Certification: U.L. Listed
- Optional Extras: 90 & 105 Degree Hold Open & Adjustable Backcheck.



model no / CFS544



- Power Size: 4 (Suitable for use on doors 150Kg or 1100mm Door Width)
- Finish: SSS
- **Features:** Adjustable closing & latching speed
- Fire Rating: U.L. Fire Rated, EN Tested
- Independent Certification: U.L. Listed
- Optional Extras: 90 & 105 Degree Hold Open & Adjustable Backcheck.



CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .c o n s o r t - h w .c o m




section / Door Controls / Door Holders

model no / CDH 20

Foot Operated Door Holder



■ Finishes: PCP: Polished Chrome Plate SCP: Satin Chrome Plate




model no / CMH 20

Magnetic Door Holder





■ Finishes: PCP: Polished Chrome Plate SCP: Satin Chrome Plate



section / Door Controls / Door Selectors


model no / CDSE 1

Door Selector



■ Finishes: PCP: Polished Chrome Plate SCP: Satin Chrome Plate SSS: Satin Stainless Steel PB: Polished Brass

Silver




model no / CDSE 2

Gravity Door Selector for Hollow Metal Doors



■ Finishes: PCP: Polished Chrome Plate SCP: Satin Chrome Plate



CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 193 SEU .K +44-(0)121 359 8189 Tel / Fax / +44(0)121 359 5172 Email / info@consort-hw.com www.consort-hw.com



section / Panic Exit Devices / Panic Latches

model no / CPH 6080F

Touch Bar Panic Latch



- Independent Certification: U.L. Listed
- Fire Rating: U.L. Fire Rating Up to 3 hours
- Finishes: SSS: Satin Stainless Steel Silver

54 42 93 724

section / Panic Exit Devices / Panic Bolts

model no / CPH 6080FV

Touch Bar Panic Bolt



- Optional: Plate for double doors
- Independent Certification: U.L. Listed
- Fire Rating: U.L. Fire Rating Up to 3 hours

Finishes: SSS: Satin Stainless Steel

Silver


55 46 63 781 153 42 55 66 42 _52_ 28 44


section / Panic Exit Devices / External Access Devices

model no / CP 648

External Knob trim









model no / CP 649

External Lever trim





model no / CP 650



- Features: Can be master keyed alongside euro profile cylinder suites
- Independent Certification: U.L. Listed
- Fire Rating: U.L. Fire Rating Up to 3 hours
- Finishes: SCP: Satin Chrome Plate
- **Spindle** to suit 54mm thick door

CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / + 44(0)121 359 5172 Email / info@consort-hw.com w w w .consort-hw.com



section / Disabled Bathroom & Shower Accessories


model no / CHSN 1

Back Rest



- Other colours on request
- Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PCW: Powder Coated White



L 400 x 35 x 240


model no / CHSN 2

Backrest With Cushion



- Measurement: 400x35x240mm
- Finishes: PCW: Powder Coated White

SSS: Satin Stainless Steel
PSS: Polished Stainless Steel




model no / CHSN 3

Grab Bars



- Other colours on request
- Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PCW: Powder Coated White




L 300 x 35 x 100 L 450 x 35 x 100 L 600 x 35 x 100

model no / CHSN 15

Hinged Arm Support





- Other colours on request
- Finishes: SSS: Satin Stainless Steel

PSS: Polished Stainless Steel PCW: Powder Coated White


CONSORT Architectural Hardware 29 / 31 Lower Loveday Street Birmingham B 19 3 SE U .K Tel / +44-(0)121 359 8189 Fax / +44(0)121 359 5172 Email / info@consort-hw.com w w w .c o n s o r t - h w .c o m



section / Disabled Bathroom & Shower Accessories

British Standard 8300:2001

Building Regulations 2000 Access to & Use of buildings (2004 Edition)



Contact Details

SA Hardware Traders LTD

PO Box 174

Merrivale

3291

KwaZulu-Natal

Tel: 033 330 3109

info@sahardwaretraders.com

